

## DROP ARM BARRIER



- With a wide range of applications, the TURNSTAR DROP ARM BARRIER is the perfect solution for your entrance
- Suitable for the most prestige of installations and is designed to be a reliable, durable and aesthetic solution.
- Exported worldwide

### APPLICATIONS

- Suited for applications requiring medium volume access and medium levels of security
- Used extensively in applications such as office reception areas, health clubs, universities and libraries

### DESIGNED FOR

- Interior installations

### AVAILABLE CONFIGURATIONS

- Various barrier arm materials including stainless steel and polycarbonate skirt
- Stainless steel and granite top covers

### SECURITY RATING



# UNIQUE FEATURES OF THE DROP ARM BARRIER

## XTRALIFE® MECHANISM

- Heavy duty electromechanical mechanism
- Designed by professional engineers
- Tried, tested and perfected over a period of more than 20 years

## RELIABLE TECHNOLOGY

- 100% duty geared torque motor – consistent & long lasting operation
- Double buffered mechanism lowers mechanical stress which means longer operational life
- Heavy duty pillow block ball bearings
- Microprocessor logic control board
- Stand-alone optical safety detector (does not require a reflector)

## DURABLE FEATURES

- Motor and gearbox housed in fully sealed, protective aluminium housing
- Cabinet manufactured from 304 grade brushed stainless steel
- Factory settings need no further adjustment


## GUARANTEED MANUFACTURED TO LAST

- 12 month mechanical & electrical guarantee

## STAR INSTALLATIONS



# RELATED PRODUCTS - SPEEDGATE EXPRESS




- TRIDENT



- STREAMLINE




- TRITON HALF HEIGHT



# DROP ARM BARRIER RANGE

## DROP ARM BARRIER - 38MM DIAMETER STAINLESS STEEL TUBE WITH POLYCARBONATE SKIRT



© Turnstar Systems

## TECHNICAL SPECIFICATIONS

POWER	220 Volt AC
FREQUENCY	50Hz
POWER CONSUMPTION	80W
CABINET WEIGHT	45kg
CABINET FINISH	304 grade brushed stainless steel
SYSTEMS INTEGRATION	<ul style="list-style-type: none"><li>• Integrates with all access control and time &amp; attendance systems</li><li>• Triggered through a normally open dry contact</li></ul>

## MANUFACTURING OPTIONS

BARRIER ARM OPTIONS	<ul style="list-style-type: none"><li>• 38mm diameter stainless steel tube</li><li>• 38mm diameter stainless steel tube with polycarbonate skirt</li></ul>
TOP COVER OPTIONS	<ul style="list-style-type: none"><li>• 304 grade brushed stainless steel</li><li>• Rustenburg granite</li></ul>

MANUFACTURER

EUROPEAN DISTRIBUTOR

PARTNER



**JOHANNESBURG HEAD OFFICE**  
18 6th Street, Wynberg, Sandton, 2090  
T: +27 (0)11 786 1633 | F: +27 (0)11 440 5839  
E: info@turnstar.co.za | W: www.turnstar.co.za



**DISTRIBUTED EXCLUSIVELY IN EUROPE BY GERAN**  
Butaanstraat 23, 7463 PG Rijssen  
T: +31 (0) 548-543000 | F: +31 (0) 548-541130  
W: www.geran-access.com